SKYACTIV-G (2.5 2WD) CBU

Engine Type Engine Capacity c			TC3K RAH
Engine Capacity C	POWERTRAIN		
Maximum Power Hp / RPM 228/5,000 Maximum Torque Nm / RPM 420/2,000 Maximum Speed Km/h 210 Compression Ratio I.0.5: 1 Bore x Stroke mm 89mm x 100mm Drivetrain 2VD Transmission SKYACTU DRIVE 6-Speed Automatic with Annual Shift Mode Fuel Transmission Petrol Recommended fuel Min.Ron 95 Fuel Efficiency* 8.8 L / 100KM Fuel Fets Method NEDC Fuel Est Method NEDC Fuel System Direct Injection Fuel System Direct Injection Fuel Tank Capacity Litres 72 CHASSIS Brake Type Front Ventilated Disc Brake Type Rear Solid Disc Suspension Type Rear MacPherson Struts Steering Type Front MacPherson Struts Wheel Type Alloy Wheel Size 2D x 8.5 J Type Size 20 x 8.5 J Wheel	Engine Type		
Maximum Torque Nm / RPM 420/2,000 Maximum Speed Km/h 210 Compression Ratio 10.5 : 1 Bore x Stroke mm 89mm x 100mm Drivetrain 2WD Transmission SKYACTIV DRIVE 6-Speed Automatic with Manual Shift Mode Fuel Type Petrol Recommended Fuel Min.Ron 95 Fuel Type S.8 L / 100KM Fuel Test Method NEDC Fuel System Direct Injection Fuel Tank Capacity Litres 72 CHASSIS Brake Type Front Ventilated Disc Front MacPherson Struts Suspension Type Front MacPherson Struts Steering Type Electronic Power Assisted Steering (EPAS) Turning Circle Diameter, Curb to Curb Meter 11.7 Wheel Type Alloy Wheel Size 20 x 8.5 1 Tyre Size 20 x 8.5 1 Wheel Size (Spare) Temporary (Steel) Wheel Size (Spare) Temporary (Steel) <tr< td=""><td>Engine Capacity</td><td>сс</td><td>2,488</td></tr<>	Engine Capacity	сс	2,488
Maximum Speed Km/h 210 Compression Ratio 10.5 : 1 Bore x Stroke mm 89mm x 100mm Drivetrain 2WD Transmission SKYACTIV DRIVE 6-Speed Automatic with Manual Shift Mode Fuel Type SKYACTIV DRIVE 6-Speed Automatic with Manual Shift Mode Fuel Speed Fuel	Maximum Power	Hp / RPM	228/5,000
Compression Ratio 10.5 : 1 Bore x Stroke mm 89mm x 100mm Drivetrain 2WD Transmission SKYACTIV DRIVE 6-Speed Automatic with Manual Shift Mode Fuel Type Petrol Recommended Fuel Min.Ron 95 Fuel Efficiency* 8.8.L / 100KM Fuel Test Method NEDC Fuel System Direct Injection Fuel Tank Capacity Litres 72 CHASSIS Front Ventilated Disc Front Ventilated Disc Brake Type Front Ventilated Disc Brake Type Front MacPherson Struts Steering Type Electronic Power Assisted Steering (EPAS) Turning Circle Diameter, Curb to Curb Meter 11.7 Wheel Size Alloy Wheel Size 20 x 8.5 J Type Size 255,50/R20 Wheel Design Black Metallic (7G1) Wheel Size (Spare) 17 x 5.5 J Type Size (Spare) 17 x 5.5 J Type Size (Spare)	Maximum Torque	Nm / RPM	420/2,000
Bore x Stroke mm 89mm x 100mm Drivetrain 2WD Transmission SKYACTIV DRIVE 6-Speed Automatic Number of Speed Automat	Maximum Speed	Km/h	210
Drivetrain 2WD Transmission SKYACTIV DRIVE 6-Speed Automatic with Manual Shift Mode Fuel Type Petrol Recommended Fuel Min.Ron 95 Fuel Efficiency* 8.81 / 100KM Fuel Efficiency* Direct Injection Fuel Fish Method NEDC Fuel System Direct Injection Fuel System To Direct Injection Fuel Tank Capacity Litres 72 CHASSIS Brake Type Front Ventilated Disc Rear Solid Disc Suspension Type Front MacPherson Struts Steering Type Electronic Power Assisted Steering (EPAS) Turning Circle Diameter, Curb to Curb Meter 11.7 Wheel Type Alloy Wheel Type Alloy Wheel Size 20 x 8.5 1 Tyre Size 25 5/50/R20 Wheel Type (Spare) Black Metallic (7G1) Wheel Type (Spare) Temporary (Steel) Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) 1	Compression Ratio		10.5 : 1
Transmission Fuel Type Recommended Fuel Fuel Efficiency* Fuel Efficiency* Fuel System Fuel System Fuel Type Front Rear Solid Disc Manual Shift Mace Front MacPherson Struts Suspension Type Front Fare Rear Solid Disc MacPherson Struts Fuel Type Front MacPherson Struts Rear Multi-Link Steering Type Front MacPherson Struts Steering Type Fuel System Meter 11.7 Wheel Type Wheel Size You Sassy Wheel Size Wheel Design Wheel System Tengrany (Steel) Tengran	Bore x Stroke	mm	89mm x 100mm
Frank Fra	Drivetrain		2WD
Recommended Fuel Min.Ron 95 Fuel Efficiency* 8.8L / 100KM Fuel Efficiency* 8.8L / 100KM Fuel Test Method NEDC Fuel System Direct Injection Fuel System 72 CHASSIS Error Front Ventilated Disc Rear Solid Disc MacPhesson Struts Rear Multi-Link Electronic Power Assisted Steering (EPAS) Turning Circle Diameter, Curb to Curb Meter 11.7 Wheel Type Alloy Alloy Wheel Size 20 x 8.5 J Tyre Size 255/50/R20 Wheel Design Elack Metallic (7G1) Wheel Size (Spare) Temporary (Steel) Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) 185/80/R17 DIMENSIONS Overall Leight mm 1,969 Overall Leight </td <td>Transmission</td> <td></td> <td>SKYACTIV DRIVE 6-Speed Automatic with Manual Shift Mode</td>	Transmission		SKYACTIV DRIVE 6-Speed Automatic with Manual Shift Mode
Fuel Efficiency* Fuel Test Method Fuel Test Method Fuel System Fuel Tank Capacity Litres Front Front Front Rear Solid Disc Rear Solid Disc Rear Multi-Link Rear MacPherson Struts Fuel Timing Circle Diameter, Curb to Curb Meel Size Fuel System Wheel Size	Fuel Type		Petrol
Fuel Test Method Fuel System	Recommended Fuel		Min.Ron 95
Fuel System Fuel Tank Capacity Litres Tank Capacity Litres Tank Capacity Tank Capa	Fuel Efficiency*		8.8L / 100KM
Fuel Tank Capacity Litres 72 CHASSIS Brake Type Front Front Front MacPherson Struts Suspension Type Front MacPherson Struts Steering Type Electronic Prower Assisted Steering (EPAS) Turning Circle Diameter, Curb to Curb Meter 11.7 Wheel Type Alloy Wheel Size 20 x 8.5 J Tyre Size 25/50/R20 Wheel Design Black Metallic (7G1) Wheel Type (Spare) Temporary (Steel) Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) 185/80/R17 DIMENSIONS Overall Length mm 5,075 Overall Width mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 2,930	Fuel Test Method		NEDC
CHASSIS Brake Type Front Rear Solid Disc Suspension Type Front MacPherson Struts Steering Type Electronic Power Assisted Steering (EPAS) Turning Circle Diameter, Curb to Curb Meter 11.7 Wheel Type Alloy Wheel Size 20 x 8.5 J Tyre Size 255/50/R20 Wheel Design Black Metallic (7G1) Wheel Size (Spare) Temporary (Steel) Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) 185/80/R17 DIMENSIONS Temporary (Steel) Overall Length mm 5,075 Overall Width mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 2,930	Fuel System		Direct Injection
Brake Type Front Front Front MacPherson Struts Suspension Type Front Front Front MacPherson Struts Steering Type Electronic Power Assisted Steering (EPAS) Turning Circle Diameter, Curb to Curb Meter 11.7 Wheel Type Alloy Wheel Size 20 x 8.5 J Tyre Size 255/50/R20 Wheel Design Black Metallic (7G1) Wheel Type (Spare) Temporary (Steel) Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) 185/80/R17 DIMENSIONS 185/80/R17 Overall Length mm 5,075 Overall Width mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 2,2930	Fuel Tank Capacity	Litres	72
Brake Type Rear Solid Disc Suspension Type Front MacPherson Struts Steering Type Electronic Power Assisted Steering (EPAS) Turning Circle Diameter, Curb to Curb Meter 11.7 Wheel Type Alloy Wheel Size 20 x 8.5 J Tyre Size 255/50/R20 Wheel Design Black Metallic (7G1) Wheel Type (Spare) Temporary (Steel) Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) 185/80/R17 DIMENSIONS Temporary (Steel) Overall Length mm 5,075 Overall Width mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 2,930	CHASSIS		
Suspension Type Rear MacPherson Struts Suspension Type Electronic Power Assisted Steering (EPAS) Turning Circle Diameter, Curb to Curb Meter 11.7 Wheel Type Alloy Wheel Size 20 x 8.5 J Tyre Size Black Metallic (7G1) Wheel Design Black Metallic (7G1) Wheel Type (Spare) 17 x 5.5 J Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) Metall Length mm 5,075 Overall Width mm 1,969 Overall Height mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 220	Braka Type	Front	Ventilated Disc
Suspension Type Rear Multi-Link Electronic Power Assisted Steering (EPAS) Turning Circle Diameter, Curb to Curb Meter 11.7 Wheel Type Alloy Wheel Size 20 x 8.5 J Tyre Size Wheel Design Wheel Design Wheel Type (Spare) Wheel Type (Spare) Wheel Size (Spare) Temporary (Steel) Wheel Size (Spare) To Temporary (Steel) Tyre Size (Spare) Tyre Size (Spare) Tyre Size (Spare) Multi-Link Alloy Alloy Alloy Black Metallic (7G1) Temporary (Steel) Temporary (Steel) Temporary (Steel) Tyre Size (Spare) Tyre Size (Spare) Multi-Link Alloy Alloy Alloy 10 x 8.5 J Tyre Size Temporary (Steel) Temporary (Steel) Temporary (Steel) Tyre Size (Spare) Tyre S	blake Type	Rear	Solid Disc
Keer In Type Rear In CEPAS	Suspension Type	Front	MacPherson Struts
CEPAS Steering Type CEPAS Steering Type CEPAS Steering Type CEPAS Steering Type Steering Type (Spare) Steering Type (Spare) Steering Type (Spare) Steering Type Steering Typ	Suspension Type	Rear	Multi-Link
Wheel Type Alloy Wheel Size 20 x 8.5 J Tyre Size 255/50/R20 Wheel Design Black Metallic (7G1) Wheel Type (Spare) Temporary (Steel) Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) 185/80/R17 DIMENSIONS Overall Length mm 5,075 Overall Width mm 1,747 Overall Height mm 2,930 Ground Clearance mm 220	Steering Type		
Wheel Size 20 x 8.5 J Tyre Size 255/50/R20 Wheel Design Black Metallic (7G1) Wheel Type (Spare) Temporary (Steel) Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) 185/80/R17 DIMENSIONS Overall Length mm 5,075 Overall Width mm 1,969 Overall Height mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 220	Turning Circle Diameter, Curb to Curb	Meter	11.7
Tyre Size 255/50/R20 Wheel Design Black Metallic (7G1) Wheel Type (Spare) Temporary (Steel) Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) 185/80/R17 DIMENSIONS Overall Length mm 5,075 Overall Width mm 1,969 Overall Height mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 220	Wheel Type		Alloy
Wheel Design Black Metallic (7G1) Wheel Type (Spare) Temporary (Steel) Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) 185/80/R17 DIMENSIONS Overall Length mm 5,075 Overall Width mm 1,969 Overall Height mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 220	Wheel Size		20 x 8.5 J
Wheel Type (Spare) Temporary (Steel) Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) 185/80/R17 DIMENSIONS Overall Length mm 5,075 Overall Width mm 1,969 Overall Height mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 220	Tyre Size		255/50/R20
Wheel Size (Spare) 17 x 5.5 J Tyre Size (Spare) 185/80/R17 DIMENSIONS Overall Length mm 5,075 Overall Width mm 1,969 Overall Height mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 220	Wheel Design		Black Metallic (7G1)
Tyre Size (Spare) 185/80/R17 DIMENSIONS Overall Length mm 5,075 Overall Width mm 1,969 Overall Height mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 220	Wheel Type (Spare)		Temporary (Steel)
DIMENSIONS Overall Length mm 5,075 Overall Width mm 1,969 Overall Height mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 220	Wheel Size (Spare)		17 x 5.5 J
Overall Length mm 5,075 Overall Width mm 1,969 Overall Height mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 220	Tyre Size (Spare)		185/80/R17
Overall Width mm 1,969 Overall Height mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 220	DIMENSIONS		
Overall Height mm 1,747 Wheelbase mm 2,930 Ground Clearance mm 220	Overall Length	mm	5,075
Wheelbase mm 2,930 Ground Clearance mm 220	Overall Width	mm	1,969
Ground Clearance mm 220	Overall Height	mm	1,747
	Wheelbase	mm	2,930
Curb Weight kg 1,927	Ground Clearance	mm	220
	Curb Weight	kg	1,927

SKYACTIV-G (2.5 2WD) CBU

		TC3K RAH
EXTERIOR		
Front Headlights	LED	•
Front Headlights On/Off Function	Auto	•
Front Headlights Leveling	Auto	•
Daytime Running Lights	LED	•
Front Fog Lights	LED	•
Rear Combination Taillights	LED	•
Rear Fog Lights	Bulb	•
Reverse Lights	Bulb	•
AC 11: 11AC	Rain Sensing	•
Windshield Wipers	Variable Intermittent Function	•
Rear Wiper/Washer	w/ Intermittent Function	•
Mazda Advanced Keyless Entry		•
One Touch Power Folding Side Mirrors with Integrated Turn Indicators	w / Auto Fold	•
Door Handles	Body-Colour	•
Door Pillar Garnish	Piano Black	•
Radiator Grille	Black	•
Outer Rear View Mirrors	Black	•
Power Sunroof with Sliding & Tilt Glass	DIACK	
Antenna	"Shark Fin" Type	<u> </u>
Rear Roof Spoiler	Shark till Type	<u> </u>
Power Tailgate		•
		•
Model Name Badge	(2.11.5.11	•
Dual Exhaust Outlets	w/ Bright Finish	•
Parking Sensors	Front x 4	•
	Rear x 4	•
INTERIOR		
Engine Start / Stop Button		•
Electronic Parking Brake		•
	Audio Control	•
Steering Wheel Mounted Switches	Bluetooth® Hands-Free	•
	Cruise Control	•
Accelerator Pedal	Organ Type	•
Accordator i cuai	Kickdown Switch	•
Rear View Mirror	w/ Auto Dimming	•
Dashboard Trim	Painted	•
Door Trim	Painted	•
nstrument Cluster	4.6 inch Colour TFT LCD Multi Info Display	•
One Touch (Up and Down) Power Window with Anti-Pinch	Front Driver & Passenger , Rear Passenger Both Side (4 Windows)	•
Active Driving Display (Head-Up Display)	Color Windshield-Projection Display	•
Steering Wheel Material	Leather	• (Red stitching)
Steering Wheel Bezel Type		•
Steering Wheel Adjustment	Tilt and Telescopic	•
Paddle Shifters		•
Sport Mode Drive Selection Switch		•
Gear Shift Knob	Leather	•
	Three Zone Climate Control w/ Independent	
Air-Conditioning	Rear Control	•
Rear Air-Conditioning Vents		•
12-Volt Power Outlets	Front x 1	•
	Cargo Area x 1	•
	Map Lights	• (LED)
Interior Lighting	Cabin Lights	• (LED)

SKYACTIV-G (2.5 2WD) CBU

		TC3K RAH
	Cargo Area Light	• (LED)
Glove box Lid Decoration		•
Overhead Console	w/ Sunglasses Holder	•
Center Console Armrest with Covered Storage Bin	w/o Tray	•
Seatback Pockets	Driver and Passenger	•
Sunvisor with Vanity Mirror (Driver & Passenger)	w/ Light (LED)	•
Rear Door Sunshade		•
Carpeted Floor Mats		•
SEATS		
Seating Capacity		7
	2-Position Memory Function (Driver)	•
	10-Way Power Adjustment (Driver) : Tilt, Lift, Lumbar, Slide and Recline	•
Front Seats With:	6-Way Power Adjustment (Passenger)	•
	Seat Ventilation (Driver & Passenger)	•
	Seat Heater (Driver & Passenger)	•
	60/40 Split Fold with 3 Headrest (2nd Row)	•
	One-Touch Fold-Down with Single Stage Reclining Rear Seatback (2nd Row)	•
Rear Seats With:	One-Touch Walk-In Switch (2nd Row)	•
	Center Armrest with Integrated Cup Holders with USB Port x 2 (2nd Row)	•
	50/50 Split Fold (3rd Row) with 2 Headrest	•
Seats Trim:	Leather	• (Burgundy)
INFOTAINMENT		- (bailganay)
MZD Connect Infotainment System with Voice Command		•
Apple CarPlay® & Android Auto™ Function**		• (Wireless Carplay)
Full Colour Touch Screen Display	9 - Inch	• (vviiciess carpiay)
Multi-Function Commander Control	> illett	•
AM / FM Tuner		•
AM / FM Tuner Auxiliary-Audio Input Jack (3.5mm Mini-Stereo)		•
Bluetooth® Hands-Free Phone and Audio Capability		•
Audio Speakers	Roca® Speakers v 12	•
GPS Navigation System (3D & 2D Mode)	Bose® Speakers x 12	•
OI 3 Mavigation System (3D & 2D Mode)	CtA	-
LICD Down	Center Armrest x 2	•
USB Ports	Rear Center Amrest x 2	•
Window Change	3rd Row x 2	•
Wireless Charger		•
Reverse Camera	360° View Monitor	•
ADVANCED TECHNOLOGIES		
Mazda i-Stop Idling Technology		•
Mazda G-Vectoring Control Plus Technology (GVC Plus)		•

SKYACTIV-G (2.5 2WD) CBU

			TC3K RAH
SAFETY		5 1/0: 10	
SRS Airbags System		Front (Driver and Passenger) x 2	•
		Side (Front) x 2	•
Austi Landa Durdina Contanta (ADC)		Curtain (Front and Rear) x 2	•
Anti-Lock Braking System (ABS)			•
Dynamic Stability Control (DSC)	(FDD)		•
Electronic Brake-Force Distribution	(ERD)		•
Emergency Brake Assist (EBA)			•
Traction Control System (TCS)			•
Emergency Stop Signal (ESS)			•
Hill Launch Assist (HLA)			•
Auto Hold Function			•
Speed Sensing Auto Lock			•
Walk Away Lock			•
		Driver & Front Passenger Only	•
Seat-Belt Warning		2nd Row	•
		3rd Row	•
	(w/ Pretensioners)	Driver & Front Passenger Only	•
Seat-Belts	(w/ Load Limiter)		•
	(w/ Height Adjustable Anchorages)		•
3-Point Seat Belts		All Seats	•
Seat Belts with Emergency Locking I	Retractor (ELR)	All Seats	•
SOFIX Child Restraint Anchor Poin	ts and Top Tethers		•
Engine-Immobilizer Anti-Theft Syste	em		•
ADVANCED SAFETY TECHNOLOG	IES		
Adaptive LED Headlights (ALH)			•
Blind Spot Monitoring (BSM)			•
Rear Cross Traffic Alert (RCTA)		•	
Lane Departure Warning System (LDWS)		•	
Lane-Keep Assist System (LAS)		•	
Driver Attention Alert (DAA)			•
Smart City Brake Support (SCBS) Rear		• (Vehicle & Pedestrian)	
		Rear	• (Vehicle & Pedestrian)
Smart Brake Support (SBS)			•
Mazda Radar Cruise Control (MRC	CC)		•

2021 Mazda CX-9 specification is updated as of: 27/9/2021

All vehicle models and specification shown are for Malaysia market only. Specification shown may vary from the actual vehicles. Specification may subject to change without prior notice. Pictures shown are for illustration purposes only. It does not depict the actual vehicle

Date Prepared: 27/9/2021. Prepared By: Product Marketing Division.

^{*}Fuel Efficiency for CX-9 2.5L Turbo Petrol are based on a combined fuel test cycle(Urban & Extra Urban). Test method: NEDC. Origin: United Nations

^{**} Android Auto will be available upon official launch of service in Malaysi

SKYACTIV-G (2.5 AWD) CBU

		TC3L RAY
POWERTRAIN Final Type		SKYACTIV®-G 2.5 Litre Turbo In-Line 4
Engine Type		Cylinder 16 Valve DOHC
Engine Capacity	сс	2,488
Maximum Power	Hp / RPM	228/5,000
Maximum Torque	Nm / RPM	420/2,000
Maximum Speed	Km/h	210
Compression Ratio		10.5 : 1
Bore x Stroke	mm	89mm x 100mm
Drivetrain		AWD
Transmission		SKYACTIV DRIVE 6-Speed Automatic with Manual Shift Mode
Fuel Type		Petrol
Recommended Fuel		Min.Ron 95
Fuel Efficiency*		9.2L / 100KM
Fuel Test Method		NEDC
Fuel System		Direct Injection
Fuel Tank Capacity	Litres	74
CHASSIS		
0.1.7	Front	Ventilated Disc
Brake Type	Rear	Solid Disc
	Front	MacPherson Struts
Suspension Type	Rear	Multi-Link
Steering Type		Electronic Power Assisted Steering (EPAS)
Turning Circle Diameter, Curb to Curb	Meter	11.7
Wheel Type		Alloy
Wheel Size		20 x 8.5 J
Tyre Size		255/50/R20
Wheel Design		Black Metallic (7G1)
Wheel Type (Spare)		Temporary (Steel)
Wheel Size (Spare)		17 x 5.5 J
Tyre Size (Spare)		185/80/R17
DIMENSIONS		
Overall Length	mm	5,075
Overall Width	mm	1,969
Overall Height	mm	1,747
Wheelbase	mm	2,930
Ground Clearance	mm	220
Curb Weight	kg	1,998

SKYACTIV-G (2.5 AWD) CBU

СБО		TC3L RAY
EXTERIOR		
Front Headlights	LED	•
Front Headlights On/Off Function	Auto	•
Front Headlights Leveling	Auto	•
Daytime Running Lights	LED	•
Front Fog Lights	LED	•
Rear Combination Taillights	LED	•
Rear Fog Lights	Bulb	•
Reverse Lights	Bulb	•
	Rain Sensing	•
Windshield Wipers	Variable Intermittent Function	•
Rear Wiper/Washer	w/ Intermittent Function	•
Mazda Advanced Keyless Entry		•
One Touch Power Folding Side Mirrors with Integrated Turn Indicate	ors w / Auto Fold	•
Door Handles	Body-Colour	•
Door Pillar Garnish	Piano Black	•
Radiator Grille	Black	•
Outer Rear View Mirrors	Black	
Power Sunroof with Sliding & Tilt Glass	Diack	
Antenna	"Shark Fin" Type	•
Rear Roof Spoiler	Shark Fin Type	•
		<u> </u>
Power Tailgate Model Name Padge		<u>•</u>
Model Name Badge	(8:1:5::1	•
Dual Exhaust Outlets	w/ Bright Finish	•
Parking Sensors	Front x 4	•
INITIALIZA	Rear x 4	•
INTERIOR		
Engine Start / Stop Button		•
Electronic Parking Brake		•
	Audio Control	•
Steering Wheel Mounted Switches	Bluetooth® Hands-Free	•
	Cruise Control	•
Accelerator Pedal	Organ Type	•
	Kickdown Switch	•
Rear View Mirror	w/ Auto Dimming	•
Dashboard Trim	Painted	•
Door Trim	Painted	•
Instrument Cluster	4.6 inch Colour TFT LCD Multi Info Display	•
One Touch (Up and Down) Power Window with Anti-Pinch	Front Driver & Passenger , Rear Passenger Both Side (4 Windows)	•
Active Driving Display (Head-Up Display)	Color Windshield-Projection Display	•
Steering Wheel Material	Leather	• (Red stitching)
Steering Wheel Bezel Type		•
Steering Wheel Adjustment	Tilt and Telescopic	•
Paddle Shifters		•
Sport Mode Drive Selection Switch		•
Gear Shift Knob	Leather	•
Air-Conditioning	Three Zone Climate Control w/ Independent Rear Control	•
Rear Air-Conditioning Vents		•
-	Front x 1	•
12-Volt Power Outlets	TTOTIL X T	

SKYACTIV-G (2.5 AWD) CBU

		TC3L RAY
	Map Lights	• (LED)
Interior Lighting	Cabin Lights	• (LED)
	Cargo Area Light	• (LED)
Glove Box Lid Decoration		•
Overhead Console	w/ Sunglasses Holder	•
Center Console Armrest with Covered Storage Bin	w/o Tray	•
Seatback Pockets	Driver and Passenger	•
Sunvisor with Vanity Mirror (Driver & Passenger)	w/ Light (LED)	•
Rear Door Sunshade		•
Carpeted Floor Mats		•
SEATS		
Seating Capacity		7
	2-Position Memory Function (Driver)	•
	10-Way Power Adjustment (Driver) : Tilt, Lift, Lumbar, Slide and Recline	•
Front Seats With:	6-Way Power Adjustment (Passenger)	•
	Seat Ventilation (Driver & Passenger)	•
	Seat Heater (Driver & Passenger)	•
	60/40 Split Fold with 3 Headrest (2nd Row)	•
	One-Touch Fold-Down with Single Stage Reclining Rear Seatback (2nd Row)	•
Rear Seats With:	One-Touch Walk-In Switch (2nd Row)	•
	Center Armrest with Integrated Cup Holders with USB Port x 2 (2nd Row)	•
	50/50 Split Fold (3rd Row) with 2 Headrest	•
Seats Trim:	Leather	• (Burgundy)
INFOTAINMENT		
MZD Connect Infotainment System with Voice Command		•
Apple CarPlay® & Android Auto™ Function**		• (Wireless Carplay)
Full Colour Touch Screen Display	lour Touch Screen Display 9 - Inch	
Multi-Function Commander Control		•
AM / FM Tuner		•
Auxiliary-Audio Input Jack (3.5mm Mini-Stereo)		•
Bluetooth® Hands-Free Phone and Audio Capability		•
Audio Speakers	Bose® Speakers x 12	•
GPS Navigation System (3D & 2D Mode)		-
	Center Armrest x 2	•
USB Ports	Rear Center Amrest x 2	•
	3rd Row x 2	•
Wireless Charger		•
Reverse Camera	360° View Monitor	•
ADVANCED TECHNOLOGIES		
Mazda i-Stop Idling Technology		•
Mazda G-Vectoring Control Plus Technology (GVC Plus)		•
Trazad & Vectoring Control Flus Technology (GVC Flus)		

SKYACTIV-G (2.5 AWD) CBU

СВО			TC3L RAY
SAFETY			10021011
SALET I		Front (Driver and Passenger) x 2	•
SRS Airbags System		Side (Front) x 2	•
		Curtain (Front and Rear) x 2	
Anti-Lock Braking System (ABS)		Curtain (Hont and Real) x 2	•
Dynamic Stability Control (DSC)			•
Electronic Brake-Force Distribution	n (EBD)		•
Emergency Brake Assist (EBA)			•
Traction Control System (TCS)			• (with Offroad Traction Assist)
Emergency Stop Signal (ESS)			•
Hill Launch Assist (HLA)			•
Auto Hold Function			•
Speed Sensing Auto Lock			•
Walk Away Lock			•
		Driver & Front Passenger Only	•
Seat-Belt Warning		2nd Row	•
		3rd Row	•
	(w/ Pretensioners)	Driver & Front Passenger Only	•
Seat-Belts	(w/ Load Limiter)		•
	(w/ Height Adjustable Anchorages)		•
3-Point Seat Belts	Alleminades	All Seats	•
Seat Belts with Emergency Locking	Retractor (ELR)	All Seats	•
SOFIX Child Restraint Anchor Poi	nts and Top Tethers		•
Engine-Immobilizer Anti-Theft Sys	tem		•
ADVANCED SAFETY TECHNOLOG	GIES		
Adaptive LED Headlights (ALH)			•
Blind Spot Monitoring (BSM)			•
Rear Cross Traffic Alert (RCTA)		•	
Lane Departure Warning System (LDWS)		•	
Lane-Keep Assist System (LAS)		•	
Driver Attention Alert (DAA)		•	
Smart City Brake Support (SCBS)		Front	• (Vehicle & Pedestrian)
		Rear	• (Vehicle & Pedestrian)
Smart Brake Support (SBS)			•
Mazda Radar Cruise Control (MRCC)		•	

2021 Mazda CX-9 specification is updated as of: 27/9/2021

All vehicle models and specification shown are for Malaysia market only. Specification shown may vary from the actual vehicles. Specification may subject to change without prior notice. Pictures shown are for illustration purposes only. It does not depict the actual vehicle

Date Prepared: 27/9/2021. Prepared By: Product Marketing Division.

^{*}Fuel Efficiency for CX-9 2.5L Turbo Petrol are based on a combined fuel test cycle(Urban & Extra Urban). Test method: NEDC. Origin: United Nations

^{**} Android Auto will be available upon official launch of service in Malaysia